

NO.	Model	Appearance	Specification	Price (IRR)
1	HAC-B1A21P		<p>“2MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm, 6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 20m, Smart IR • IP67, DC12V دربین مداربسته داهوا مدل HAC-B1A21P	6,850,000
2	HAC-B2A21P		<p>“2MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm, 6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 20m, Smart IR • IP67, DC12V دربین مداربسته داهوا مدل HAC-B2A21P	7,950,000
3	HAC-T1A21P		<p>“2MP HDCVI IR Eyeball Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@1080P • HD and SD output switchable • 2.8mm fixed lens (3.6mm, 6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 20m, Smart IR • IP67, DC12V دربین مداربسته داهوا مدل HAC-T1A21P	6,850,000
4	HAC-T2A21P		<p>“2MP HDCVI IR Eyeball Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@1080P • HD and SD output switchable • 2.8mm fixed lens (3.6mm, 6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 20m, Smart IR • IP67, DC12V دربین مداربسته داهوا مدل HAC-T2A21P	7,950,000

NO.	Model	Appearance	Specification	Price (IRR)
5	HAC-B1A41P		<p>“4MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@4MP • HD and SD output switchable • 3.6mm fixed lens (6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 20m, Smart IR • IP67, DC12V 	9,050,000
6	HAC-B2A41P		<p>“4MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@4MP • HD and SD output switchable • 3.6mm fixed lens (2.8mm, 6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 20m, Smart IR • IP67, DC12V 	11,500,000
7	HAC-T1A41P		<p>“4MP HDCVI IR Eyeball Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@4MP • HD and SD output switchable • 2.8mm fixed lens (3.6mm, 6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 20m, Smart IR • IP67, DC12V 	9,500,000
8	HAC-T2A41P		<p>“4MP HDCVI IR Eyeball Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@4MP • HD and SD output switchable • 2.8mm fixed lens (3.6mm, 6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 20m, Smart IR • IP67, DC12V 	11,500,000

NO.	Model	Appearance	Specification	Price (IRR)
9	HAC-B1A51P		<p>“5MP HDCVI Fixed IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP (16:9 video output) • 3.6mm fixed lens (2.8mm,6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • HD and SD output switchable • Mirror, Privacy Masking • Max. IR length 20m, Smart IR • IP67, DC12V <p> HAC-B1A51P دویرین مداربسته داهوا مدل</p>	10,750,000
10	HAC-B2A51P		<p>“5MP HDCVI Fixed IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP (16:9 video output) • 3.6mm fixed lens (2.8mm,6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • HD and SD output switchable • Mirror, Privacy Masking • Max. IR length 20m, Smart IR • IP67, DC12V <p> HAC-B2A51P دویرین مداربسته داهوا مدل</p>	12,800,000
11	HAC-T1A51P		<p>“5MP HDCVI Fixed IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP (16:9 video output) • 2.8mm fixed lens (3.6mm,6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • HD and SD output switchable • Mirror, Privacy Masking • Max. IR length 20m, Smart IR • IP67, DC12V <p> HAC-T1A51P دویرین مداربسته داهوا مدل</p>	10,750,000
12	HAC-T2A51P		<p>“5MP HDCVI Fixed IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP (16:9 video output) • 2.8mm fixed lens (3.6mm,6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • HD and SD output switchable • Mirror, Privacy Masking • Max. IR length 20m, Smart IR • IP67, DC12V <p> HAC-T2A51P دویرین مداربسته داهوا مدل</p>	12,800,000

NO.	Model	Appearance	Specification	Price (IRR)
13	HAC-HFW1200CMP		<p>“2MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable ,3.6mm fixed lens (2.8mm, optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR • IP67, DC12V <p> HAC-HFW1200CMP دوکان مداربسته داهوا مدل</p>	9,000,000
14	HAC-HFW1200CMP-A 		<p>“2MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable ,3.6mm fixed lens (2.8mm, optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR ,IP67, DC12V • Built-in mic <p> HAC-HFW1200CMP-A دوکان مداربسته داهوا مدل</p>	9,750,000
15	HAC-HFW1200TLP		<p>“2MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm,6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 40m, Smart IR • Electronic Defog • IP67, DC12V <p> HAC-HFW1200TLP دوکان مداربسته داهوا مدل</p>	9,000,000
16	HAC-HFW1200TP		<p>“2MP HDCVI PoC IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm,6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR • Electronic Defog • IP67, DC12V <p> HAC-HFW1200TP دوکان مداربسته داهوا مدل</p>	10,450,000

NO.	Model	Appearance	Specification	Price (IRR)
17	HAC-HFW1200TP-A 		<p>“2MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm,6mm optional) • Built-in mic • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR • Electronic Defog • IP67, DC12V <p> HAC-HFW1200TP-A دوربین مداربسته داهوا مدل</p>	11,000,000
18	HAC-HFW1200SP		<p>“2MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm,6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR • Electronic Defog • IP67, DC12V <p> HAC-HFW1200SP دوربین مداربسته داهوا مدل</p>	9,500,000
19	HAC-HFW1200THP-I4		<p>“2MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm,6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 40m, Smart IR • Electronic Defog • IP67, DC12V <p> HAC-HFW1200THP-I4 دوربین مداربسته داهوا مدل</p>	10,500,000
20	HAC-HFW1200THP-I8		<p>“2MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm,6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 80m, Smart IR • Electronic Defog • IP67, DC12V <p> HAC-HFW1200THP-I8 دوربین مداربسته داهوا مدل</p>	11,500,000

NO.	Model	Appearance	Specification	Price (IRR)
21	HAC-HFW1200DP		<p>“2MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm, 6mm, 8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 80m, Smart IR • Electronic Defog • IP67, DC12V <p> دوربین مداربسته داهوا مدل HAC-HFW1200DP</p>	13,000,000
22	HAC-HFW1220RP-VF-IRE6		<p>“2MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 2.7-13.5mm vari-focal lens • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 60m, Smart IR • IP67, DC12V <p> دوربین مداربسته داهوا مدل HAC-HFW1220RP-VF-IRE6</p>	22,550,000
23	HAC-HFW1239TP-A-LED Full-Color		<p>“2MP HDCVI IR Full-Color Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm Optional) • Built-in mic • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Full-color starlight • Smart Light • 20m LED distance • IP67, DC12V±30% • Electronic Defog • 16X Digital Zoom <p> دوربین مداربسته داهوا مدل HAC-HFW1239TP-A-LED</p>	15,000,000
24	HAC-HFW1239TLMP-A-LED Full-Color		<p>“2M Full-color Starlight HDCVI Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm Optional) • Built-in mic • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Full-color starlight • Smart Light • 40m LED distance • IP67, DC12V±30% • Electronic Defog • 16X Digital Zoom <p> دوربین مداربسته داهوا مدل HAC-HFW1239TLMP-A-LED</p>	16,300,000

NO.	Model	Appearance	Specification	Price (IRR)
25	HAC-HDW1200MP		<p>“2MP HDCVI IR Eyeball Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 2.8mm fixed lens (3.6mm, 6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR • IP67, DC12V <p> HAC-HDW1200MP دوکان مداربسته داهوا مدل</p>	9,500,000
26	HAC-HDW1200TLP-A		<p>“2MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 2.8mm fixed lens (3.6mm optional) • Built-in mic • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR • IP67, DC12V <p> HAC-HDW1200TLP-A دوکان مداربسته داهوا مدل</p>	10,500,000
27	HAC-HDW1200EMP-A		<p>“2MP HDCVI IR Eyeball Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 2.8mm fixed lens (3.6mm, 6mm optional) • Built-in mic • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 50m, Smart IR • IP67, DC12V <p> HAC-HDW1200EMP-A دوکان مداربسته داهوا مدل</p>	11,700,000
28	HAC-HDW1200LP		<p>“2MP HDCVI IR Eyeball Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 2.1mm fixed lens • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 3m, Smart IR • IP67, DC12V <p> HAC-HDW1200LP دوکان مداربسته داهوا مدل</p>	13,500,000

NO.	Model	Appearance	Specification	Price (IRR)
29	HAC-HFW1209CP-LED Full-Color		<p>“2MP Full-color HDCVI Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm Optional) • DWDR, Day/Night(ICR),BLC,2DNR • 20m illumination distance, Smart Light • 24/7 color imaging • IP67, 12V±30% DC • Mirror • Privacy Masking <p> HAC-HFW1209CP-LED دوکان</p>	9,800,000
30	HAC-HFW1209CMP-LED Full-Color		<p>“2MP Full-color HDCVI Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm Optional) • DWDR, Day/Night(ICR),BLC,2DNR • 20m illumination distance, Smart Light • 24/7 color imaging • IP67, 12V±30% DC • Mirror • Privacy Masking <p> HAC-HFW1209CMP-LED دوکان</p>	11,250,000
31	HAC-HDW1209TLQP-LED Full-Color		<p>“2MP Full-color HDCVI Quick-to-install Eyeball Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm Optional) • DWDR, Day/Night(ICR),BLC,2DNR • 20m illumination distance, Smart Light • 24/7 color imaging • IP67, 12V±30% DC • Mirror • Privacy Masking <p> HAC-HDW1209TLQP-LED دوکان</p>	9,800,000
32	HAC-HDW1239TLP-A-LED Full-Color		<p>“2MP Full-color Starlight HDCVI Eyeball Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm Optional) • Built-in mic • DWDR, Day/Night(ICR),BLC,HLC,2DNR • 20m LED distance, Smart Light • Full-color starlight • IP67, 12V±30% DC • 16X Digital Zoom • Electronic Defog <p> HAC-HDW1239TLP-A-LED دوکان</p>	14,650,000

NO.	Model	Appearance	Specification	Price (IRR)
33	HAC-HDW1239TP-A -LED Full-Color		<p>“2MP Full-color Starlight HDCVI Eyeball Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm Optional) • Built-in mic • DWDR, Day/Night(ICR),BLC,HLC,2DNR • 40m LED distance • Full-color starlight • IP67, 12V±30% DC <p> HAC-HDW1239TP-A-LED دوربین مداربسته داهوا مدل</p>	16,500,000
34	HAC-HFW1230TP		<p>“2MP Starlight HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm, 6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR • Starlight • IP67, DC12V • Electronic Defog <p> HAC-HFW1230TP دوربین مداربسته داهوا مدل</p>	12,000,000
35	HAC-HFW1230SP		<p>“2MP Starlight HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm, 6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR • Starlight • IP67, DC12V • Electronic Defog <p> HAC-HFW1230SP دوربین مداربسته داهوا مدل</p>	12,000,000
36	HAC-HFW1230DP		<p>“2MP Starlight HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (6mm, 8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 80m, Smart IR • Starlight • IP67, DC12V • Electronic Defog <p> HAC-HFW1230DP دوربین مداربسته داهوا مدل</p>	14,500,000

NO.	Model	Appearance	Specification	Price (IRR)
37	HAC-HFW1230RP-Z-IRE6		<p>“2MP Starlight HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 2.7-12mm motorized lens • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 60m, Smart IR • Starlight • IP67, DC12V • Electronic Defog <p> HAC-HFW1230RP-Z-IRE6 دوکان مداربسته داهوا مدل</p>	23,500,000
38	HAC-HFW2241SP		<p>“2MP Starlight HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD/SD output switchable • 3.6mm fixed lens (2.8mm,6mm optional) • Day/Night(ICR),BLC,HLC • 120dB true WDR, 3DNR • Max. IR length 30m,Smart IR • Starlight • IP67, DC12V±30% • Audio in interface <p> HAC-HFW2241SP دوکان مداربسته داهوا مدل</p>	20,350,000
39	HAC-HFW2241EP-A 		<p>“2MP Starlight HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD/SD output switchable • 3.6mm fixed lens (2.8mm,6mm optional) • Built-in mic • Day/Night(ICR),BLC,HLC • 120dB true WDR, 3DNR • Max. IR length 40m,Smart IR • Starlight • IP67, DC12V±30% • Audio in interface <p> HAC-HFW2241EP-A دوکان مداربسته داهوا مدل</p>	22,500,000
40	HAC-HFW2241TP-I8-A 		<p>“2MP Starlight HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD/SD output switchable • 3.6mm fixed lens (2.8mm,6mm optional) • Built-in mic • Day/Night(ICR),BLC,HLC • 120dB true WDR, 3DNR • Max. IR length 80m,Smart IR • Starlight • IP67, DC12V±30% • Audio in interface <p> HAC-HFW2241TP-I8-A دوکان مداربسته داهوا مدل</p>	CALL

NO.	Model	Appearance	Specification	Price (IRR)
41	HAC-HDW2241TP-A 🔊		<p>“2MP Starlight HDCVI IR Eyeball Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD/SD output switchable • 2.8mm fixed lens (3.6mm,6mm optional) • Built-in mic • Day/Night(ICR),BLC,HLC •120dB true WDR, 3DNR • Max. IR length 50m,Smart IR •Starlight • IP67 DC12V±30% • Audio in interface <p> HAC-HDW2241TP-A دویرین مداربسته داهوا مدل</p>	CALL
42	HAC-HDBW2241EP		<p>“2MP Starlight HDCVI IR Dome Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD/SD output switchable • 2.8mm fixed lens (3.6mm, 6mm optional) • Day/Night(ICR),BLC,HLC •120dB true WDR, 3DNR • Max. IR length 30m,Smart IR •Starlight • IP67, Ik10, DC12V±30% • Audio in interface <p> HAC-HDBW2241EP دویرین مداربسته داهوا مدل</p>	CALL
43	HAC-ME2241CP		<p>“2MP Starlight HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD/SD output switchable • 2.8mm fixed lens (3.6mm, 6mm optional) • Day/Night(ICR),BLC,HLC •15m/110°detecting range/angle, • Max. IR length 20m,Smart IR •Starlight •Built-in PIR • Active deterrence with white light & siren IP67, DC12V <p> HAC-ME2241CP دویرین مداربسته داهوا مدل</p>	21,500,000
44	HAC-HFW1400TLP		<p>“4MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@4MP • HD and SD output switchable • 3.6mm fixed lens (2.8mm, 6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 40m, Smart IR • Privacy Masking • IP67,DC12V •Mirror • Electronic Defog <p> HAC-HFW1400TLP دویرین مداربسته داهوا مدل</p>	11,550,000

NO.	Model	Appearance	Specification	Price (IRR)
45	HAC-HFW1400TP		<p>“4MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@4MP • HD and SD output switchable • 3.6mm fixed lens (2.8mm, 6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR • Privacy Masking • IP67,DC12V • Mirror • Electronic Defog <p> HAC-HFW1400TP دویرین مداربسته داهوا مدل</p>	13,500,000
46	HAC-HFW1400TP-A ()		<p>“4MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@4MP • HD and SD output switchable • 3.6mm fixed lens (2.8mm, 6mm optional) • Built-in mic • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR • Privacy Masking • IP67,DC12V • Mirror • Electronic Defog <p> HAC-HFW1400TP-A دویرین مداربسته داهوا مدل</p>	14,250,000
47	HAC-HFW1400SP ()		<p>“4MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@4MP • HD and SD output switchable • 3.6mm fixed lens (2.8mm, 6mm optional) • Built-in mic • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR • Privacy Masking • IP67,DC12V • Mirror • Electronic Defog <p> HAC-HFW1400SP دویرین مداربسته داهوا مدل</p>	13,500,000
48	HAC-HFW1400THP-I8		<p>“4MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@4MP • HD and SD output switchable • 3.6mm fixed lens (6mm, 8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 80m, Smart IR • Privacy Masking • IP67,DC12V • Mirror • Electronic Defog <p> HAC-HFW1400THP-I8 دویرین مداربسته داهوا مدل</p>	14,500,000

NO.	Model	Appearance	Specification	Price (IRR)
49	HAC-HFW1400DP		<p>“4MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@4MP • HD and SD output switchable • 3.6mm fixed lens (2.8mm, 6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 80m, Smart IR • Privacy Masking • IP67,DC12V • Mirror • Electronic Defog <p> HAC-HFW1400DP دوربین مداربسته داهوا مدل</p>	16,300,000
50	HAC-HDW1400TRQP		<p>“4MP HDCVI Quick-to-install IR Eyeball Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@4MP • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8 mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 25m, Smart IR • IP50,DC12V <p> HAC-HDW1400TRQP دوربین مداربسته داهوا مدل</p>	10,400,000
51	HAC-HDW1400TLP-A		<p>“4MP HDCVI IR Eyeball Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@4MP • HD and SD output switchable • 3.6mm fixed lens (2.8mm optional) • Built-in mic • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR • Privacy Masking • IP67,DC12V • Mirror • Electronic Defog <p> HAC-HDW1400TLP-A دوربین مداربسته داهوا مدل</p>	12,500,000
52	HAC-HDW1400EMP-A		<p>“4MP HDCVI IR Eyeball Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@4MP • HD and SD output switchable • 3.6mm fixed lens (2.8mm, 6mm optional) • Built-in mic • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 50m, Smart IR • Privacy Masking • IP67,DC12V • Mirror • Electronic Defog <p> HAC-HDW1400EMP-A دوربین مداربسته داهوا مدل</p>	14,500,000

NO.	Model	Appearance	Specification	Price (IRR)
53	HAC-HFW1400RP-Z-IRE6		<p>“4MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@4MP • HD and SD output switchable • 27-12mm motorized len • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 60m, Smart IR • Privacy Masking • IP67,DC12V • Mirror • Electronic Defog <p> HAC-HFW1400RP-Z-IRE6 دوکان مداربسته داهوا مدل</p>	27,000,000
54	HAC-HFW1500CMP		<p>“5MP Starlight HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • Privacy Masking • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR • IP67,DC12V <p> HAC-HFW1500CMP دوکان مداربسته داهوا مدل</p>	14,500,000
55	HAC-HFW1500CMP-A 		<p>“5MP Starlight HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • Built-in mic • Privacy Masking • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR • IP67,DC12V <p> HAC-HFW1500CMP-A دوکان مداربسته داهوا مدل</p>	15,250,000
56	HAC-HFW1500TP		<p>“5MP Starlight HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • Privacy Masking • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Electronic Defog • Max. IR length 30m, Smart IR • IP67,DC12V • Mirror <p> HAC-HFW1500TP دوکان مداربسته داهوا مدل</p>	15,250,000

NO.	Model	Appearance	Specification	Price (IRR)
57	HAC-HFW1500THP-I4		<p>“5MP Starlight HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (6 mm optional) • M12.Mount Type • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Privacy Masking • Max. IR length 40m, Smart IR • IP67,DC12V • Mirror <p> HAC-HFW1500THP-I4 دوکان مداربسته داهوا مدل</p>	15,250,000
58	HAC-HFW1500THP-I8		<p>“5MP Starlight HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (6 mm, 8 mm optional) • M12.Mount Type • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Privacy Masking • Max. IR length 80m, Smart IR • IP67,DC12V • Mirror <p> HAC-HFW1500THP-I8 دوکان مداربسته داهوا مدل</p>	15,250,000
59	HAC-HFW1500DP		<p>“5MP Starlight HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (6 mm, 8 mm optional) • Privacy Masking • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Electronic Defog • Max. IR length 80m, Smart IR • IP67,DC12V • Mirror <p> HAC-HFW1500DP دوکان مداربسته داهوا مدل</p>	18,500,000
60	HAC-HFW1509TLMP-LED Full-Color		<p>“5MP Full-color HDCVI Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) ,24/7 color imaging , • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8 mm optional) • 120 dB true WDR, 3D NR DWDR, Day/Night(ICR),BLC,HLC,2DNR • 40 m illumination distance ,Smart IR, IP67,DC12V <p> HAC-HFW1509TLMP-LED دوکان مداربسته داهوا مدل</p>	19,500,000

NO.	Model	Appearance	Specification	Price (IRR)
61	HAC-HFW1509TLMP-A-LED Full-Color		<p>“5MP Full-color HDCVI Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) ,24/7 color imaging , • CVI/CVBS/AHD/TVI switchable ,3.6mm fixed lens (2.8 mm optional) • 120 dB true WDR, 3D NR DWDR, Day/Night(ICR),BLC,HLC,2DNR • 40 m illumination distance ,Smart IR, IP67,DC12V • Built-in mic <p> HAC-HFW1509TLMP-A-LED دوربین مداربسته داهوا مدل HAC-HFW1509TLMP-A-LED</p>	20,000,000
62	HAC-HFW1509TP-LED Full-Color		<p>“5MP Full-color HDCVI Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) ,24/7 color imaging • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8 mm optional) • 120 dB true WDR, 3D NR ,DWDR, Day/Night(ICR),BLC,HLC,2DNR • 20 m illumination distance ,Smart IR ,IP67,DC12V <p> HAC-HFW1509TP-LED دوربین مداربسته داهوا مدل HAC-HFW1509TP-LED</p>	18,500,000
63	HAC-HFW1509TP-A-LED Full-Color		<p>“5MP Full-color HDCVI Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) ,24/7 color imaging • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8 mm optional) • 120 dB true WDR, 3D NR,DWDR, Day/Night(ICR),BLC,HLC,2DNR • 20 m illumination distance ,Smart IR ,P67,DC12V ,Built-in mic <p> HAC-HFW1509TP-A-LED دوربین مداربسته داهوا مدل HAC-HFW1509TP-A-LED</p>	20,000,000
64	HAC-HDW1500TRQP		<p>“5MP Starlight HDCVI Quick-to-install IR Eyeball Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8 mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 25m, Smart IR •IP67,DC12V <p> HAC-HDW1500TRQP دوربین مداربسته داهوا مدل HAC-HDW1500TRQP</p>	12,350,000

NO.	Model	Appearance	Specification	Price (IRR)
65	HAC-HDW1500TRQP-A 🔊		<p>“5MP Starlight HDCVI Quick-to-install IR Eyeball Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • Built-in mic • 3.6mm fixed lens (2.8 mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 25m, Smart IR • IP67,DC12V <p> HAC-HDW1500TRQP-A دوربین مداربسته داهوا مدل A</p>	13,500,000
66	HAC-HDW1500TLMQP-A 🔊		<p>“5MP Starlight HDCVI Quick-to-install IR Eyeball Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • Built-in mic • 3.6mm fixed lens (6 mm, 8 mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR • IP67,DC12V <p> HAC-HDW1500TLMQP-A دوربین مداربسته داهوا مدل A</p>	15,350,000
67	HAC-HDW1509TLQP-LED Full-Color		<p>“5MP Full-color HDCVI Quick-to-install Eyeball Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output), 24/7 color imaging • CVI/CVBS/AHD/TVI switchable • 3.6 mm fixed lens (2.8 mm optional) • 120dB true WDR, 3D/2DNR ,AWB ,Day/Night(ICR),BLC,HLC • 20 m illumination distance Smart IR ,IP67,DC12V <p> HAC-HDW1509TLQP-LED دوربین مداربسته داهوا مدل A</p>	18,500,000
68	HAC-HDW1509TLQP-A-LED 🔊 Full-Color		<p>“5MP Full-color HDCVI Quick-to-install Eyeball Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output), 24/7 color imaging • CVI/CVBS/AHD/TVI switchable • 3.6 mm fixed lens (2.8 mm optional) • 20 m illumination distance Smart IR ,IP67,DC12V • 120dB true WDR, 3D/2DNR ,Day/Night(ICR),BLC,HLC • Built-in mic <p> HAC-HDW1509TLQP-A-LED دوربین مداربسته داهوا مدل A</p>	19,700,000

NO.	Model	Appearance	Specification	Price (IRR)
69	HAC-HDW1509TP-A-LED Full-Color		<p>“5MP Full-color HDCVI Eyeball Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output), 24/7 color imaging • CVI/CVBS/AHD/TVI switchable • 3.6 mm fixed lens (2.8 mm optional) • 40 m illumination distance Smart IR ,IP67,DC12V • 120dB true WDR, 3D/2DNR ,AWB ,Day/Night(ICR),BLC,HLC • Built-in mic <p> HAC-HDW1509TP-A-LED دوربین مداربسته داهوا مدل</p>	21,500,000
70	HAC-HFW1500RP-Z-IRE6-A 		<p>“5MP Starlight HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP • HD and SD output switchable • 3.6mm fixed lens (6mm, 8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 60m, Smart IR • Privacy Masking • IP67,DC12V • Mirror <p> HAC-HFW1500RP-Z-IRE6-A دوربین مداربسته داهوا مدل</p>	29,500,000
71	HAC-HFW2802EP-A 		<p>“4K Starlight HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 4K resolution • HD/SD switchable • 3.6mm fixed lens (2.8mm,6mm optional) • Built-in mic • Day/Night(ICR),BLC,HLC • 120dB true WDR, 3DNR • Max. IR length 40m,Smart IR • Starlight • IP67, DC12V±30% • Audio in interface <p> HAC-HFW2802EP-A دوربین مداربسته داهوا مدل</p>	CALL
72	HAC-HFW2802TP-Z-A 		<p>“4K Starlight HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 4K resolution • HD/SD switchable • 3.7-11mm motorized lens • Built-in mic • Day/Night(ICR),BLC,HLC • 120dB true WDR, 3DNR • Max. IR length 80m,Smart IR • Starlight • IP67 DC12V±30% • Audio in interface <p> HAC-HFW2802TP-Z-A دوربین مداربسته داهوا مدل</p>	CALL

NO.	Model	Appearance	Specification	Price (IRR)
73	SD59225I-HC-S2		<p>“25x Starlight IR PTZ HDCVI Camera”</p> <ul style="list-style-type: none"> • 1/2.8" 2Megapixel Exmor R CMOS • Max 25/30fps @1080P & 20/30/50/60fps @720P Resolution • 4.8mm ~ 120mm 25x optical zoom • Max 400°/s pan speed, • 360° endless pan rotation • Control over coaxial cable ,1-channel BNC HDCVI/CVBS output (switchable) • Up to 300 presets, 5 auto scan, 8 tour, 5 pattern • Built-in 2/1 Alarm in/out, 1 Audio Input , Rs485 • IR Distance up to 150m, IP66,OSD <p> دربیان مداربسته PTZ داهوا مدل SD59225I-HC-S2</p>	140,500,000
74	SD59230I-HC		<p>“2MP 30x Starlight IR PTZ HDCVI Camera”</p> <ul style="list-style-type: none"> • 1/2.8" Exmor R CMOS Sensor • Max. 25/30fps @1080P(1920x1080) & 50/60fps @720 Rresolution • 4.5mm~135mm 30x optical zoom • Max 400°/s pan speed, • 360° endless pan rotation , • HD and SD switchable ,WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus • Up to 300 presets, 5 auto scan, 8 tour, 5 pattern • 1 , Built-in 2/1 Alarm in/out, 1 Audio Input , Rs485 • IR Distance up to 150m, IP66,OSD <p> دربیان مداربسته PTZ داهوا مدل SD59230I-HC</p>	170,000,000
75	SD49225I-HC		<p>“2MP 25x Starlight IR PTZ HDCVI Camera”</p> <ul style="list-style-type: none"> • 1/2.8" STARVIS CMOS Sensor • Max. 25/30fps @1080P(1920x1080) & 50/60fps @720P Resolution • 4.8mm~120mm 25x optical zoom • Max 400°/s pan speed • 360° endless pan rotation • HD and SD switchable ,WDR(120dB), Day/Night(ICR), Ultra DNR, HLC, BLC, Auto iris, Auto focus • Up to 300 presets, 5 auto scan, 8 tour, 5 pattern • 1CH Audio In Rs485 • IR Distance up to 100m, IP66,OSD <p> دربیان مداربسته PTZ داهوا مدل SD49225I-HC</p>	112,800,000

NO.	Model	Appearance	Specification	Price (IRR)
76	DH-XVR1B04-I WizSense		<p>"4 CH Penta-brid 1080N/720p Cooper 1U 1HDD WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> Supports Full channel AI-Coding H.265+/H.265 dual-stream video compression 4CH: 1/4 Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+1 IP up to 2 MP(20 Mbps)] 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 6 TB, HDMI, VGA simultaneous ,video Output 2*USB 2.0, 10/100 Mbps LAN Interface Up to 4 channels video stream (analog channel) SMD Plus P2P Support 	18,700,000
77	DH-XVR1B08-I WizSense		<p>"8 CH Penta-brid 1080N/720p Cooper 1U 1HDD WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> Supports Full channel AI-Coding H.265+/H.265 dual-stream video compression 8CH:1/4/9 Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+2 IP up to 6 MP(40 Mbps)] 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 6 TB, HDMI, VGA simultaneous ,video Output 2*USB 2.0, 10/100 Mbps LAN Interface Up to 4 channels video stream (analog channel) SMD Plus P2P Support 	23,500,000

NO.	Model	Appearance	Specification	Price (IRR)
78	DH-XVR1B16-I WizSense		<p>"16 CH Penta-brid 1080N/720p Compact 1U 1HDD WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265/H.264 video compression • 16CH: 1/4/9/16 • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [16+2 IP up to 6 MP(64 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 6 TB, HDMI, VGA simultaneous video Output • 2*USB 2.0, 10/100 Mbps LAN Interface, • Up to 8 channels video stream (analog channel) SMD Plus • P2P Support 	45,000,000
79	DH-XVR1A04		<p>"4 CH Penta-brid 1080N/720P Cooper 1U Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.264 video compression • 4CH: 1/4 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+1 IP up to 2 MP(20 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 8 TB, HDMI, VGA simultaneous video Output • 2*USB 2.0, 10/100 Mbps LAN Interface • P2P Support 	16,500,000

 DH-XVR1A04 دستگاه ضبط تصویر داهوا مدل

NO.	Model	Appearance	Specification	Price (IRR)
80	DH-XVR1A08		<p>"8 CH Penta-brid 1080N/720P Cooper 1U Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.264 video compression • 8CH: 1/4/9 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+2 IP up to 5 MP(40 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 8 TB, HDMI VGA simultaneous video Output • 2*USB 2.0, 10/100 Mbps LAN Interface • P2P Support 	20,500,000
81	DH-XVR4104HS-X1		<p>"4 CH Penta-brid 720P Compact 1U Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 4CH: 1/4 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+1 IP up to 2 MP(20 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 6 TB, HDMI VGA simultaneous video Output • RS485 for PTZ support • 2*USB 2.0, 10/100 Mbps LAN Interface • P2P Support 	17,600,000

 DH-XVR1A08 دستگاه ضبط تصویر داهوا مدل

"4 CH Penta-brid 720P Compact 1U Digital Video Recorder"

- H.265+/H.265 dual-stream video compression
- 4CH: 1/4 Playback
- Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+1 IP up to 2 MP(20 Mbps)]
- 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 6 TB, HDMI VGA simultaneous video Output
- RS485 for PTZ support
- 2*USB 2.0, 10/100 Mbps LAN Interface
- P2P Support

 DH-XVR4104HS-X1 دستگاه ضبط تصویر داهوا مدل

NO.	Model	Appearance	Specification	Price (IRR)
82	DH-XVR4108HS-X1		<p>"8 CH Penta-brid 720P Compact 1U Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265 video compression • 8CH: 1/4/9 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+2 IP up to 6 MP (40 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 10 TB, HDMI, VGA simultaneous video Output • RS485 for PTZ support • 2*USB 2.0, 10/100 Mbps LAN Interface • P2P Support 	22,500,000
83	DH-XVR5104HS-I3 WizSense		<p>"4 Channels Penta-brid 5M-N/1080P Compact 1U 1HDD WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 4CH: 1/4 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+2 IP up to 6 MP(32 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 6 TB, HDMI, VGA simultaneous ,video Output • RS485 for PTZ support • 2*USB 2.0, 10/100 Mbps LAN Interface • Up to 1ch video stream (analog channel) Perimeter Protection • Up to 4ch video stream (analog channel) SMD Plus • Up to 1ch video stream (analog channel) human face recognition • IoT & POS functionalities • P2P Support 	29,500,000

DH-XVR4108HS-X1 دستگاه ضبط تصویر داهوا مدل

"4 Channels Penta-brid 5M-N/1080P Compact 1U 1HDD WizSense Digital Video Recorder"

- H.265+/H.265 dual-stream video compression
- 4CH: 1/4 Playback
- Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+2 IP up to 6 MP(32 Mbps)]
- 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 6 TB, HDMI, VGA simultaneous ,video Output
- RS485 for PTZ support
- 2*USB 2.0, 10/100 Mbps LAN Interface
- Up to 1ch video stream (analog channel) Perimeter Protection
- Up to 4ch video stream (analog channel) SMD Plus
- Up to 1ch video stream (analog channel) human face recognition
- IoT & POS functionalities
- P2P Support

DH-XVR5104HS-I3 دستگاه ضبط تصویر داهوا مدل

NO.	Model	Appearance	Specification	Price (IRR)
84	DH-XVR5108HS-I3 WizSense		<p>”8 Channels Penta-brid 5M-N/1080P Compact 1U 1HDD WizSense Digital Video Recorder”</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 8CH: 1/4/9 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+4 IP up to 6 MP(64 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 10 TB, HDMI • VGA simultaneous video Output, • RS485 for PTZ support • 2*USB 2.0, 10/100 Mbps LAN Interface • Up to 1ch video stream (analog channel) Perimeter Protection • Up to 8ch video stream (analog channel) SMD Plus • Up to 1ch video stream (analog channel) human face recognition • IoT & POS functionalities • P2P Support 	43,000,000
85	DH-XVR5116HS-S2		<p>”16 CH Penta-brid 1080P Digital Video Recorder”</p> <ul style="list-style-type: none"> • H.264+/H.264 dual-stream video compression • 4M-N/1080P(1~15fps); 1080N/720P/960H/D1/HD1/BCIF/CIF/QCIF (1~25/30fps) • 16CH Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M (16+8 IP up to 5 MP) • 1/1 Audio In/Out, 1 SATA Port, Up to 8 TB, 1*HDMI, 1* • VGA simultaneous video Output • RS485 for PTZ support • 2*USB(1 USB2.0, 1 USB3.0) 1*10/100/1000 Mbps LAN Interface • Support Smart Search and Intelligent Video System • P2P Support 	68,500,000

 DH-XVR5116HS-S2 دستگاه ضبط تصویر داهوا مدل

NO.	Model	Appearance	Specification	Price (IRR)
86	DH-XVR5116HS-I2 WizSense		<p>“16 Channel Penta-brid 5M-N/1080P Compact 1U 1HDD WizSense Digital Video Recorder”</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 5M-N (1fps–10fps); 4M-N/1080P (1fps–15fps); 1080N/720P/960H/D1/HD1/BCIF/CIF/QCIF (1~25/30fps) ,16CH Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M (16+8) IP up to 6 MP (128 Mbps) • 1/1 Audio In/Out, 1 SATA Port, Up to 10 TB, 1*HDMI, 1* • VGA simultaneous video Output • RS485 for PTZ support • 2*USB(1 USB2.0, 1 USB3.0) 1*10/100/1000 Mbps LAN Interface • Up to 2 channels video stream (analog channel) Perimeter Protection Up to 16 channels video stream (analog channel) SMD Plus Up to 2 channels video stream (analog channel) human face recognition • IoT & POS functionalities <p> DH-XVR5116HS-S2 دستگاه ضبط تصویر داهوا مدل</p>	69,500,000
87	DH-XVR5216AN-S2		<p>“16 CH Penta-brid 5M-N/1080P 1U 2HDDs WizSense Digital Video Recorder”</p> <ul style="list-style-type: none"> • H.264+/H.264 dual-stream video compression • 16CH: 1/4/9/16 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [16+8 IP up to 5 MP(96 Mbps)] • 4 Audio Input / 1 Audio Output, 2 SATA Port, Up to 16 TB, HDMI VGA simultaneous video Output • RS485 for PTZ support • 1*USB 2.0, 1*USB 3.0, 10/100/1000 Mbps LAN Interface • P2P Support • Support Smart Search and Intelligent Video System <p> DH-XVR5216AN-S2 دستگاه ضبط تصویر داهوا مدل</p>	89,000,000

NO.	Model	Appearance	Specification	Price (IRR)
88	DH-XVR5216AN-I2 WizSense		<p>"16 CH Penta-brid 5M-N/1080P 1U 2HDDs WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 16CH: 1/4/9/16 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [16+4 IP up to 6 MP(128 Mbps)] • 1 Audio Input / 1 Audio Output, 2 SATA Port, Up to 10 TB, HDMI • VGA simultaneous video Output • RS485 for PTZ support • 1*USB 2.0 ,1*USB 3.0 ,10/100/1000 Mbps LAN Interface • Up to 2ch video stream (analog channel) Perimeter Protection • Up to 16ch video stream (analog channel) SMD Plus • Up to 2ch video stream (analog channel) human face recognition • IoT & POS functionalities • P2P Support <p> DH-XVR5216AN-I2 دستگاه ضبط تصویر داهوا مدل</p>	89,000,000
89	DH-XVR5104HS-4KL-I3 WizSense		<p>"4 Channels Penta-brid 4K-N/5MP Compact 1U 1HDD WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 4CH: 1/4 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+4 IP up to 8 MP(64 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 10 TB, HDMI • VGA simultaneous video Output • RS485 for PTZ support • 1*USB 2.0 ,1*USB 3.0 ,10/100Mbps LAN Interface • Up to 1ch video stream (analog channel) Perimeter Protection • Up to 4ch video stream (analog channel) SMD Plus • Up to 1ch video stream (analog channel) human face recognition • IoT & POS functionalities • P2P Support <p> DH-XVR5104HS-4KL-I3 دستگاه ضبط تصویر داهوا مدل</p>	44,000,000

NO.	Model	Appearance	Specification	Price (IRR)
90	DH-XVR5108HS-4KL-I2 WizSense		<p>"8 CH Penta-brid 4K-N/5MP Compact 1U 1HDD WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 8CH: 1/4/9 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+8 IP up to 8 MP(128 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 10 TB, 4K HDMI • VGA simultaneous video Output • RS485 for PTZ support • 1*USB 2.0 ,1*USB 3.0 ,10/100/1000 Mbps LAN Interface • Up to 2ch video stream (analog channel) Perimeter Protection • Up to 8ch video stream (analog channel) SMD Plus • Up to 2ch video stream (analog channel) human face recognition • IoT & POS functionalities • P2P Support <p> دستگاه ضبط تصویر داهوا مدل I2</p>	65,000,000
91	DH-XVR5108HS-4KL-I3 WizSense		<p>"8 CH Penta-brid 4K-N/5MP Compact 1U 1HDD WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 8CH: 1/4/9 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+8 IP up to 8 MP(128 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 10 TB, 4K HDMI • VGA simultaneous video Output • RS485 for PTZ support • 1*USB 2.0 ,1*USB 3.0 ,10/100/1000 Mbps LAN Interface • Up to 2ch video stream (analog channel) Perimeter Protection • Up to 8ch video stream (analog channel) SMD Plus • Up to 2ch video stream (analog channel) human face recognition • IoT & POS functionalities • P2P Support <p> دستگاه ضبط تصویر داهوا مدل I3</p>	70,000,000

NO.	Model	Appearance	Specification	Price (IRR)
92	DH-XVR5216AN-4KL		<p>"16 Channel Penta-brid 4K-N/5MP 1U 2HDDs WizSense Digital Video Recorder "</p> <ul style="list-style-type: none"> • H.264+/H.264 dual-stream video compression • 4K(1~7fps); 5MP(1~12fps); 4MP/3MP(1~15fps); 1080P/720P/960H/D1/CIF/QCIF (1~25/30fps) • 16CH Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M (16+8 IP up to 8 MP) • 1/1 Audio In/Out, 2 SATA Port, Up to 8 TB, 1*HDMI, 1* VGA simultaneous video Output • RS485 for PTZ support • 2*USB(1 USB2.0, 1 USB3.0) 1*10/100/1000 Mbps LAN Interface • Support Smart Search and Intelligent Video System • P2P Support <p> DH-XVR5216AN-4KL دستگاه ضبط تصویر داهوا مدل</p>	139,500,000
93	DHI-XVR5216AN-4KL-I2 WizSense		<p>"16 CH Penta-brid 4K-N/5MP 1U 2HDDs WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 16CH: 1/4/9/16 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [16+16 IP up to 8 MP(128 Mbps)] • 1 Audio Input / 1 Audio Output, 2 SATA Port, Up to 10 TB, 4K HDMI • VGA simultaneous video Output • RS485 for PTZ support • 1*USB 2.0, 1*USB 3.0, 10/100/1000 Mbps LAN Interface • Up to 2ch video stream (analog channel) Perimeter Protection • Up to 16ch video stream (analog channel) SMD Plus • Up to 2ch video stream (analog channel) human face recognition • IoT & POS functionalities • P2P Support <p> DHI-XVR5216AN-4KL-I2 دستگاه ضبط تصویر داهوا مدل</p>	142,000,000

NO.	Model	Appearance	Specification	Price (IRR)
94	DH-XVR5232AN-S2		<p>"32 CH Penta-brid 1080P Digital Video Recorder"</p> <ul style="list-style-type: none"> • 16 Channel Playback • H.264+/H.264 dual-stream video compression • 5M-N@10fps 4MN/1080P @ 15fps, 1080N/720P@25fps • Pentabrid (IP+CVI+AHD+TVI+CVBS)[32 IP up to 6 MP(128 Mbps)] • 1/1 Audio In/Out, 2 SATA Port, Up to 16 TB, 1*HDMI(4K) • 1*VGA, simultaneous video Output • RS485 for PTZ support • 2*USB(1 USB2.0, 1 USB3.0), 1*10/100/1000 Mbps LAN Interface • Support Smart Search and Intelligent Video System • P2P Support <p> DH-XVR5232AN-S2 دستگاه ضبط تصویر داهوا مدل S2</p>	149,500,000
95	DH-XVR5232AN-I2 WizSense		<p>"32 Channel Penta-brid 5M-N/1080P 1U 2HDDs WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • 16 Channel Playback • H.265+/H.265/H.264+/H.264 dual-stream video compression • 5M-N@10fps 4MN/1080P @ 15fps, 1080N/720P@25fps • Pentabrid (IP+CVI+AHD+TVI+CVBS)[32 IP up to 6 MP(128 Mbps)] • 1/1 Audio In/Out, 2 SATA Port, Up to 10 TB, 1*HDMI(4K) • 1*VGA, simultaneous video Output • RS485 for PTZ support • 2*USB(1 USB2.0, 1 USB3.0), 1*10/100/1000 Mbps LAN Interface • Support Smart Search and Intelligent Video System • P2P Support <p> DH-XVR5232AN-I2 دستگاه ضبط تصویر داهوا مدل I2</p>	165,000,000

NO.	Model	Appearance	Specification	Price (IRR)
96	DH-XVR5432L-I2 WizSense		<p>"32 CH Penta-brid 5M-N/1080P WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 32CH: 1/4/9/16 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [16+16 IP up to 6 MP(128 Mbps)] • 1 Audio Input / 1 Audio Output, 4 SATA Port, Up to 10 TB, 4K HDMI • VGA simultaneous video output • RS485 for PTZ support • 1*USB 2.0, 1*USB 3.0, 10/100/1000 Mbps LAN Interface • Up to 2ch video stream (analog channel) Perimeter Protection • Up to 16ch video stream (analog channel) SMD Plus • Up to 2ch video stream (analog channel) human face recognition • IoT & POS functionalities • P2P Support, 10ch IVS each channel 	207,900,000



دستگاه ضبط تصویر داهوا مدل DH-XVR5432L-I2



مشتری گرامی؛
با تشکر از حسن انتخاب شما؛
جهت فعالسازی و اطلاع از مدت زمان گارانتی کافیست
به سایت پرارین به آدرس perarinco.com مراجعه کنید.
همچنین جهت بهره مندی از خدمات پشتیبانی ۲۴ ساعته
پرارین با شماره تماس ۰۳۱۴۰۰۳۰۹۱۲۰ حاصل فرمایید.

Perarin
24+6
ماه گارانتی